HENRY SCHEIN®



Henry Schein Alcohol Free

Instrument Grade

Low Level Disinfectant Wipes



Multi-Purpose

Acts as a decontaminant and disinfectant wipe. Suitable for use on all hard surfaces. For use on Medical Devices.

Tested under dirty conditions

All microorganism activity testing has been completed under dirty conditions by certified laboratories.

Peace of Mind

Broad spectrum mulit-purpose formula.

Made in Australia

Reduce your carbon footprint with local manufacturing. Reduce carbon emissions with local transportation.

Reduce your waste

Increases surface coverage with just 1 wipe.

Effective Against (contact/kill time)

Tested Under Dirty Conditions

| Pseudomonas aeruginosa | (1 min) |
|--|----------|
| Escherichia coli | (1 min) |
| Staphylococcus aureus | (1 min) |
| Methicillin Resistant Staphylococcus aureus (MRSA) | (1 min) |
| Enterococcus hirae | (1 min) |
| Proteus vulgaris | (1 min) |
| Klebsiella pneumoniae | (1 min) |
| Klebsiella pneumoniae (CRE) | (1 min) |
| Carbapenem-resistant Enterobacter cloacae (CRE) | (1 min) |
| Acinetobacter baumannii | (1 min) |
| Vancomycin Resistant Enterococcus faecium (VRE) | (1 min) |
| Salmonella enterica | (1 min) |
| Candida albicans | (1 min) |
| Herpes simplex virus 1 | (1 min) |
| Norovirus | (5 min) |
| SARS-CoV-2 (COVID-19) | (30 sec) |
| Vaccinia virus (mpox) | (1 min) |
| Influenza virus (H1N1, H3N2) | (1 min) |
| Respiratory syncytial virus (RSV) | (1 min) |

HENRY SCHEIN®

Building 3, Level 6/189 O'Riordan St, Mascot NSW 2020 Developed and manufactured in Australia www.henryschein.com.au 1300 658 822

Bacterial Yeasticidal SARS-CoV-2 (Covid-19)

| Composition | Benzethonium Chloride 0.40% w/v, Cetrimide 0.45% w/ | v, Polyaminopro | pyl biguanide 0.1% w/v | |
|--|---|--|---|--|
| Uses | Henry Schein Instrument Grade - Low Level Disinfectant Wipes are ideal for use on surfaces and non-critical medical devices. It has a wide spectrum antimicrobial activity and has been formulated and tested for use in healthcare and critical environments. | | | |
| Advantages | Alcohol Free Class IIb Broad Spectrum, fast acting 2 in 1 detergent and disinfectant wipe Formulated and tested for use in healthcare and critical environments Dermatologically Tested | | | |
| Towelette size | 18.5 x 26 cm Flat pack | | | |
| Active Against Tested Under Dirty Conditions | Pseudomonas aeruginosa Escherichia coli Staphylococcus aureus Methicillin Resistant Staphylococcus aureus (MRSA) Enterococcus hirae Proteus vulgaris Klebsiella pneumoniae Klebsiella pneumoniae (CRE) Carbapenem-resistant Enterobacter cloacae (CRE) Acinetobacter baumannii | (1 min) (1 min) (1 min) (1 min) (1 min) (1 min) (1 min) (1 min) (1 min) (1 min) | Vancomycin Resistant Enterococcus faecium (VRE) Salmonella enterica Candida albicans Herpes simplex virus 1 Norovirus SARS-CoV-2 (COVID-19) Vaccinia virus (mpox) Influenza virus (H1N1, H3N2) Respiratory syncytial virus (RSV) | (1 min) (1 min) (1 min) (1 min) (5 min) (30 sec) (1 min) (1 min) (1 min) |
| Contraindications | Not to be mixed with any detergents, chemicals or other | cleaning agent | S | |
| Clinical Procedure | When decontaminating and disinfecting surfaces thoroughly wipe the surface in an S-Shaped pattern, from high to low, from clean to dirty. Leave the surface to dry in ambient temperature. | | | |
| Poison Schedule | Not Applicable | | | |
| Safety Directions | Avoid contact with eyes. Wash hands after use. DO NOT use as a personal or baby wipe. Avoid contact with damaged skin. Wear recommended PPE | | | |
| First Aid | For advice, contact a Poisons Information Centre. Australia 13 11 26, New Zealand, 0800 764 766 | | | |
| Regulatory | Australia : ARTG: 405881 | | | |
| Ordering Code | HS-5723838 - Henry Schein Alcohol Free Instrument Grade Flat Pack 200 wipes | | | |
| Storage | Store below 30°C in a cool, dry place | | | |
| Shelf Life | 3 years from date of manufacture as indicated on pack | | | |

HENRY SCHEIN®

Building 3, Level 6/189 O'Riordan St, Mascot NSW 2020 Developed and manufactured in Australia www.henryschein.com.au 1300 658 822

Henry Schein Surface Disinfectant

Hospital Grade Disinfectant Wipes



| Composition | 0.28% Benzethonium Chloride, 18% Isopropyl Alcohol | | | | |
|--------------------|--|---|--|---------------|--|
| Uses | Henry Schein Hospital Grade Surface Disinfectant wipes | are a highly eff | e a highly effective cleaner, decontaminant and disinfectant wipe. | | |
| 0363 | Formulated as a broad-spectrum disinfectant and has been tested for use in healthcare environments | | | | |
| Advantages | Broad spectrum multi-purpose wipe | | | | |
| | 2 in 1 decontaminant and disinfectant cleaner | | | | |
| | Formulated in Australia for the use in healthcare and environments | | | | |
| | Contains food grade plasticiser to maintain plastic, vinyl and upholstery surfaces | | | | |
| | Streak free, smear free, low foaming, non-corrosive solution | | | | |
| Towelette size | 18.5 x 26 cm - Flatpack (30gsm) | | | | |
| Iowelette size | 15 x 17 cm - Cannister (38 gsm) | | | | |
| | Pseudomonas aeruginosa | (1 min) | Candida auris | (1 min) | |
| | Escherichia coli | (1 min) | Trichophyton mentagrophytes | (1 min) | |
| | Staphylococcus aureus | (1 min) | Poliovirus Type 1 | (1 min) | |
| | Methicillin Resistant Staphylococcus aureus (MRSA) | (1 min) | Adenovirus | (1 min) | |
| | Enterococcus hirae | (1 min) | Norovirus | (3 min) | |
| Active Against | Proteus vulgaris | (1 min) | SARS-CoV-2 (COVID-19) | (30 sec) | |
| Tested Under | Klebsiella pneumoniae | (1 min) | Herpes Simplex virus Type 1 | (1 min) | |
| Dirty Conditions | Acinetobacter baumannii | (1 min) | Influenza A virus (H1N1) | (1 min) | |
| | Vancomycin Resistant Enterococcus faecium (VRE) | (1 min) | Influenza A virus (H3N2) | (1 min) | |
| | Carbapenem-resistant Enterobacteriaceae (CRE) | (1 min) | Influenza B virus | (1 min) | |
| | Salmonella enterica | (1 min) | Vaccinia Virus (mpox) | (1 min) | |
| | Mycobacterium terrae (for TB) | (1 min) | Enterovirus 71 (EV-71) | (1 min) | |
| | Candida albicans | (1 min) | Respiratory syncytial virus (RSV) | (1 min) | |
| Contraindications | Not to be mixed with any detergents, chemicals or other cleaning agents | | | | |
| Precautions | Do not swallow. Wear recommended PPE. Use undiluted. If visible soiling is evident, surfaces should be | | | | |
| Precautions | pre-cleaned/decontaminated before disinfection | | | | |
| | When decontaminating and disinfecting surfaces thoroughly wipe the surface in an S-Shape pattern, from high to | | | | |
| Clinical Procedure | low, from clean to dirty. Leave the surface to dry in ambient temperature. | | | | |
| Poison Schedule | Not Applicable | | | | |
| Safety Directions | Not to be used on skin. Avoid contact with eyes. Wash h | ands after use | . Used towelettes should be disposed of a | ppropriately. | |
| First Aid | For advice, contact a Poisons Information Centre. Austra | For advice, contact a Poisons Information Centre. Australia 13 11 26, New Zealand, 0800 764 766 | | | |
| Regulatory | Australia : ARTG 335416 | | | | |
| | HS-5723837 - Henry Schein Surface Disinfectant Wipes - Hospital Grade Flat Pack 200 Wipes | | | | |
| Ordering Code | HS-5722626 - Henry Schein Surface Disinfectant Wipes - Hospital Grade Tub 180 Wipes | | | | |
| | HS-5722627 - Henry Schein Surface Disinfectant Wipes - Hospital Grade Tub Refill 180 Wipes | | | | |
| Storage | Store below 25°C in a cool, dry place | | | | |
| Shelf Life | 3 years from date of manufacture as indicated on pack | | | | |



Henry Schein CleanND

Neutral Detergent Wipes

| Composition | Non-ionic surfactantsl |
|--------------------|---|
| Uses | Henry Schein Neutral Detergent Wipes are a highly effective multi-surface wipe for general cleaning and decontaminating medical devices, surfaces and instruments. These wipes have been formulated and tested for use in healthcare environments. |
| Advantages | Developed for medical device cleaning and decontamination Removes heavy soiling and contaminants from medical devices prior to disinfection or sterilisation Non-staining, streak-free and non-corrosive Neutral pH formula Compatible with disinfection and sterilisation programs Safe for use on plastics |
| Towelette size | 18.5 x 26 cm Flat pack (30 gsm) 15 x 17 cm Canister (38 gsm) |
| Contraindications | Not to be mixed with any detergents, chemicals or other cleaning agents |
| Precautions | Not to be used on skin. Avoid contact with eyes. Used towelettes should be disposed of appropriately. Wear recommended PPE. |
| Clinical Procedure | When decontaminating or pre-cleaning, wipe the surface in an S-Shape pattern from high to low, clean to dirty. Allow surface to dry. For use on medical devices, refer to manufacturers instructions. |
| Poison Schedule | Not Applicable |
| First Aid | If poisoning occurs, contact a doctor or Poisons Information Centre. Australia 13 11 26, New Zealand, 0800 764 766 |
| Regulatory | Australia : ARTG No. 186414 |
| Ordering Code | HS-5723839 - HS CleanND Wipe Flat Pack 200 HS-5722629 - HS CleanND Wipe Tub 180 HS-572-2628 - HS CleanND Wipe Tub Refill 180 HS-NWIPESR - HS Neutral Detergent Wipe Tub 220 Wipes HS-NWIPE - HS Neutral Detergent Wipe Tub Refill 220 Wipes |
| Storage | Store below 30°C in a cool, dry place |
| Shelf Life | 3 years from date of manufacture as indicated on pack |

Henry Schein IPA

Hospital Grade Disinfectant IPA 70 % Wipes



| Composition | Isopropyl Alcohol 70% v/v |
|--------------------|---|
| Wipe Composition | HS Isopropyl Alcohol 70% v/vA 70% is available in Spunbond material. 220 Towelette in Canister and Refill 25 gsm (15 x 23 cm) |
| Uses | IPA 70% is a "soft" alcohol providing antibacterial, cleaning and solvent properties for disinfection of surfaces. It is gentle on residues |
| Advantages | Developed for use on medical devices Broad spectrum anti-bacterial activity Rapid antibacterial activity Evaporates after use without leaving residues Available in clear and blue liquid. |
| Contraindications | Not to be mixed with any detergents, chemicals or other cleaning agents |
| Active Against | Pseudomonas aeruginosa (1 min), Staphylococcus aureus (1 min), Enterococcus hirae (1 min), Candida albican (1 min) |
| Precautions | Avoid contamination of food. Avoid direct contact with eyes as may cause eye irritation. In case of direct eye contact, immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists, seek medical attention |
| Clinical Procedure | Surfaces to be disinfected must be pre-cleaned. For Surfaces wipe Henry Schein IPA 70% onto surfaces to be disinfected. Thoroughly wet surfaces. Leave wet for up to 1 minutes. Wipe liquid off the surface using a clean, single use towelette or cloth. For Instruments and Equipment wipe Henry Schein IPA 70% onto the instrument or equipment to be disinfected. Follow manufacturer's instructions for disinfecting the instrument or equipment. Leave solution on instrument or equipment for up to 1 minutes. The item can be left to air dry or wiped dry with a single use towelette or lint free cloth. |
| Poison Schedule | Not Applicable |
| Warning | Flammable |
| First Aid | For advice, contact a Poisons Information Centre (Australia) 13 11 26 |
| Regulatory | Australia: ARTG No. 391996 |
| Ordering Code | HS-5722624 - Henry Schein Alcohol Wipes - Hospital Grade Isopropyl Alcohol 70% Tub 220 Wipes HS-5722625 - Henry Schein Alcohol Wipes - Hospital Grade Isopropyl Alcohol 70% Tub Refill 220 Wipes |
| Storage | Store below 25°C in a cool, dry place |
| Shelf Life | IPA 70% Towelette 2 years from date of manufacture |
| | |



Henry Schein Neutral Detergent

Detergent Wipes

| Composition | Neutral pH, non-ionic solution. Original formula with fragrance |
|--------------------|--|
| Uses | Henry Schein Neutral Detergent Wipes are a surface cleaner approved for use with medical devices. |
| | They can be used for pre-cleaning prior to disinfection or sterilisation procedures. |
| | Non staining and biodegradable detergent |
| Advantages | Non-corrosive to instruments and handpieces |
| | Compatible with disinfection and sterilisation programs |
| | Spunbond wipe 25gsm |
| Towelette size | Towelette size 15 x 23 cm. |
| Contraindications | Not to be mixed with any other disinfectant or cleaning agents |
| Precautions | Do not swallow. Avoid contact with skin and eyes. |
| Clinical Procedure | Surfaces should be wiped thoroughly with a damp, soft cloth after daily use to remove excess residue build up. |
| | Refill pack: HS-NWIPESR |
| Poison Schedule | Not Applicable |
| First Aid | For advice, contact a Poisons Information Centre, Australia 13 11 26, New Zealand 0600 764 766 |
| Regulatory | Australia: ARTG 186414 |
| Ordering Code | HS-NWIPE - Henry Schein Neutral Detergent Wipes Tub 220 Wipes |
| | HS-NWIPESR - Henry Schein Neutral Detergent Wipes Tub Refill 220 Wipes |
| Storage | Store below 30 C in a cool, dry place |
| Shelf Life | 3 years from the date of manufacture as indicated on pack |



Wipe

Technology

- 38 gsm (Canister and Refill) 15 x 17 cm
- 30 gsm (Flat Pack) 26 x 18.5 cm
 - Dotted pattern to allow for best cleaning
 - maximum soil pick up
 - maximum liquid deposited
- Lint free produced in a pharmaceutical cleanroom
- Durable and strong wipe
- Ability to cover a large area (> 1m2)
- Excellent separation
- Hydrophillic

.

Infection Prevention and Control made easy with Henry Schein.

Thank you for supporting Australian Made

