



Henry Schein Wipes

**For the protection of your
practice, team members and patients**

Henry Schein

Alcohol Free

Instrument Grade

Low Level Disinfectant Wipes



Multi-Purpose

Acts as a decontaminant and disinfectant wipe.
Suitable for use on all hard surfaces.
For use on Medical Devices.

Tested under dirty conditions

All microorganism activity testing has been completed under dirty conditions by certified laboratories.

Peace of Mind

Broad spectrum mulit-purpose formula.

Made in Australia

Reduce your carbon footprint with local manufacturing.
Reduce carbon emissions with local transportation.

Reduce your waste

Increases surface coverage with just 1 wipe.

Effective Against (contact/kill time)

Tested Under Dirty Conditions

Pseudomonas aeruginosa	(1 min)
Escherichia coli	(1 min)
Staphylococcus aureus	(1 min)
Methicillin Resistant Staphylococcus aureus (MRSA)	(1 min)
Enterococcus hirae	(1 min)
Proteus vulgaris	(1 min)
Klebsiella pneumoniae	(1 min)
Klebsiella pneumoniae (CRE)	(1 min)
Carbapenem-resistant Enterobacter cloacae (CRE)	(1 min)
Acinetobacter baumannii	(1 min)
Vancomycin Resistant Enterococcus faecium (VRE)	(1 min)
Salmonella enterica	(1 min)
Candida albicans	(1 min)
Herpes simplex virus 1	(1 min)
Norovirus	(5 min)
SARS-CoV-2 (COVID-19)	(30 sec)
Vaccinia virus (mpox)	(1 min)
Influenza virus (H1N1, H3N2)	(1 min)
Respiratory syncytial virus (RSV)	(1 min)

Bacterial Yeastidal

SARS-CoV-2 (Covid-19)

Composition	Benzethonium Chloride 0.40% w/v, Cetrimide 0.45% w/v, Polyaminopropyl biguanide 0.1% w/v			
Uses	Henry Schein Instrument Grade - Low Level Disinfectant Wipes are ideal for use on surfaces and non-critical medical devices. It has a wide spectrum antimicrobial activity and has been formulated and tested for use in healthcare and critical environments.			
Advantages	Alcohol Free Class IIb Broad Spectrum, fast acting 2 in 1 detergent and disinfectant wipe Formulated and tested for use in healthcare and critical environments Dermatologically Tested			
Towelette size	18.5 x 26 cm Flat pack			
Active Against Tested Under Dirty Conditions	Pseudomonas aeruginosa Escherichia coli Staphylococcus aureus Methicillin Resistant Staphylococcus aureus (MRSA) Enterococcus hirae Proteus vulgaris Klebsiella pneumoniae Klebsiella pneumoniae (CRE) Carbapenem-resistant Enterobacter cloacae (CRE) Acinetobacter baumannii	(1 min) (1 min) (1 min) (1 min)w (1 min) (1 min) (1 min) (1 min) (1 min) (1 min) (1 min)	Vancomycin Resistant Enterococcus faecium (VRE) Salmonella enterica Candida albicans Herpes simplex virus 1 Norovirus SARS-CoV-2 (COVID-19) Vaccinia virus (mpox) Influenza virus (H1N1, H3N2) Respiratory syncytial virus (RSV)	(1 min) (1 min) (1 min) (1 min) (5 min) (30 sec) (1 min) (1 min) (1 min)
Contraindications	Not to be mixed with any detergents, chemicals or other cleaning agents			
Clinical Procedure	When decontaminating and disinfecting surfaces thoroughly wipe the surface in an S-Shaped pattern, from high to low, from clean to dirty. Leave the surface to dry in ambient temperature.			
Poison Schedule	Not Applicable			
Safety Directions	Avoid contact with eyes. Wash hands after use. DO NOT use as a personal or baby wipe. Avoid contact with damaged skin. Wear recommended PPE			
First Aid	For advice, contact a Poisons Information Centre. Australia 13 11 26, New Zealand, 0800 764 766			
Regulatory	Australia : ARTG: 405881			
Ordering Code	HS-5723838 - Henry Schein Alcohol Free Instrument Grade (Pack of 200)			
Storage	Store below 30°C in a cool, dry place			
Shelf Life	3 years from date of manufacture as indicated on pack			

 Building 3, Level 6/189 O’Riordan St, Mascot NSW 2020
Developed and manufactured in Australia
www.henryschein.com.au
1300 658 822

 Building 3, Level 6/189 O’Riordan St, Mascot NSW 2020
Developed and manufactured in Australia
www.henryschein.com.au
1300 658 822

Henry Schein Surface Disinfectant

Hospital Grade
Disinfectant



Henry Schein CleanND Neutral Detergent

Composition	0.28% Benzethonium Chloride, 18% Isopropyl Alcohol			
Uses	Henry Schein Hospital Grade Disinfectant wipes are a highly effective cleaner, decontaminant and disinfectant wipe. Formulated as a broad-spectrum disinfectant and has been tested for use in healthcare environments			
Advantages	Broad spectrum multi-purpose wipe 2 in 1 decontaminant and disinfectant cleaner Formulated in Australia for the use in healthcare and environments Contains food grade plasticiser to maintain plastic, vinyl and upholstery surfaces Streak free, smear free, low foaming, non-corrosive solution			
Towelette size	18.5 x 26 cm - Flatpack (30gsm) 15 x 17 cm - Cannister (38 gsm)			
Active Against Tested Under Dirty Conditions	Pseudomonas aeruginosa	(1 min)	Candida auris	(1 min)
	Escherichia coli	(1 min)	Trichophyton mentagrophytes	(1 min)
	Staphylococcus aureus	(1 min)	Poliovirus Type 1	(1 min)
	Methicillin Resistant Staphylococcus aureus (MRSA)	(1 min)	Adenovirus	(1 min)
	Enterococcus hirae	(1 min)	Norovirus	(3 min)
	Proteus vulgaris	(1 min)	SARS-CoV-2 (COVID-19)	(30 sec)
	Klebsiella pneumoniae	(1 min)	Herpes Simplex virus Type 1	(1 min)
	Acinetobacter baumannii	(1 min)	Influenza A virus (H1N1)	(1 min)
	Vancomycin Resistant Enterococcus faecium (VRE)	(1 min)	Influenza A virus (H3N2)	(1 min)
	Carbapenem-resistant Enterobacteriaceae (CRE)	(1 min)	Influenza B virus	(1 min)
	Salmonella enterica	(1 min)	Vaccinia Virus (mpox)	(1 min)
	Mycobacterium terrae (for TB)	(1 min)	Enterovirus 71 (EV-71)	(1 min)
	Candida albicans	(1 min)	Respiratory syncytial virus (RSV)	(1 min)
Contraindications	Not to be mixed with any detergents, chemicals or other cleaning agents			
Precautions	Do not swallow. Wear recommended PPE. Use undiluted. If visible soiling is evident, surfaces should be pre-cleaned/decontaminated before disinfection			
Clinical Procedure	When decontaminating and disinfecting surfaces thoroughly wipe the surface in an S-Shape pattern, from high to low, from clean to dirty. Leave the surface to dry in ambient temperature.			
Poison Schedule	Not Applicable			
Safety Directions	Not to be used on skin. Avoid contact with eyes. Wash hands after use. Used towelettes should be disposed of appropriately.			
First Aid	For advice, contact a Poisons Information Centre. Australia 13 11 26, New Zealand, 0800 764 766			
Regulatory	Australia : ARTG 335416			
Ordering Code	HS-5723837 - Henry Schein Surface Disinfectant Wipes - Hospital Grade Flat Pack Pack 200 HS-5722626 - Henry Schein Surface Disinfectant Wipes - Hospital Grade Tub 180 HS-5722627 - Henry Schein Surface Disinfectant Wipes - Hospital Grade Tub Refill Refill 180			
Storage	Store below 25°C in a cool, dry place			
Shelf Life	3 years from date of manufacture as indicated on pack			

Composition	Non-ionic surfactantsl
Uses	Henry Schein Neutral Detergent Wipes are a highly effective multi-surface wipe for general cleaning and decontaminating medical devices, surfaces and instruments. Clinicare wipes have been formulated and tested for use in healthcare environments.
Advantages	Developed for medical device cleaning and decontamination Removes heavy soiling and contaminants from medical devices prior to disinfection or sterilisation Non-staining, streak-free and non-corrosive Neutral pH formula Compatible with disinfection and sterilisation programs Safe for use on plastics
Towelette size	18.5 x 26 cm Flat pack (30 gsm) 15 x 17 cm Canister (38 gsm)
Contraindications	Not to be mixed with any detergents, chemicals or other cleaning agents
Precautions	Not to be used on skin. Avoid contact with eyes. Used towelettes should be disposed of appropriately. Wear recommended PPE.
Clinical Procedure	When decontaminating or pre-cleaning, wipe the surface in an S-Shape pattern from high to low, clean to dirty. Allow surface to dry. For use on medical devices, refer to manufacturers instructions.
Poison Schedule	Not Applicable
First Aid	If poisoning occurs, contact a doctor or Poisons Information Centre. Australia 13 11 26,New Zealand, 0800 764 766
Regulatory	Australia : ARTG No. 186414
Ordering Code	HS-5723839 - HS CleanND Wipe Flat Pack Pack 200 HS-5722629 - HS CleanND Wipe Tub 180 HS-572-2628 - HS CleanND Wipe Tub Refill Refill 180 HS-NWIPESR - HS Neutral Detergent Wipe Tub 220 HS-NWIPE - HS Neutral Detergent Wipe Tub Refill Refill 220
Storage	Store below 30°C in a cool, dry place
Shelf Life	3 years from date of manufacture as indicated on pack

Henry Schein Wipes

Hospital Grade
Disinfectant IPA 70 %
Wipes



Composition	Isopropyl Alcohol 70% v/v
Wipe Composition	HS IPopyl Alcohol 70% v/vA 70% is available in Spunbond material. 220 Towelette in Canister and Refill 25 gsm (15 x 23 cm)
Uses	Dentalife IPA 70% is a “soft” alcohol providing antibacterial, cleaning and solvent properties for disinfection of surfaces. It is gentle on residues
Advantages	Developed for use on medical devices Broad spectrum anti-bacterial activity Rapid antibacterial activity Evaporates after use without leaving residues Available in clear and blue liquid.
Contraindications	Not to be mixed with any detergents, chemicals or other cleaning agents
Active Against	Pseudomonas aeruginosa (1 min), Staphylococcus aureus (1 min), Enterococcus hirae (1 min), Candida albican (1 min)
Precautions	Avoid contamination of food. Avoid direct contact with eyes as may cause eye irritation. In case of direct eye contact, immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists, seek medical attention
Clinical Procedure	Surfaces to be disinfected must be pre-cleaned. For Surfaces Spray or wipe Clinicare IPA 70% onto surfaces to be disinfected. Thoroughly wet surfaces. Leave wet for up to 1 minutes. Wipe liquid off the surface using a clean, single use towelette or cloth. For Instruments and Equipment Spray or wipe Clinicare IPA 70% onto the instrument or equipment to be disinfected. Follow manufacturer’s instructions for disinfecting the instrument or equipment. Leave solution on instrument or equipment for up to 1 minutes. The item can be left to air dry or wiped dry with a single use towelette or lint free cloth.
Poison Schedule	Not Applicable
Warning	Flammable
First Aid	For advice, contact a Poisons Information Centre (Australia) 13 11 26
Regulatory	ARTG No. 391996
Ordering Code	HS-5722624 - Henry Schein Alcohol Wipes - Hospital Grade Isopropyl Alcohol 70% Tub 220 HS-5722625 - Henry Schein Alcohol Wipes - Hospital Grade Isopropyl Alcohol 70% Tub Refill Refill 220
Storage	Store below 25°C in a cool, dry place
Shelf Life	IPA 70% Clear & Blue Solution 3 years from date of manufacture IPA 70% Towelette 2 years from date of manufacture



Our Wipe Technology

- 38 gsm (Canister and Refill) 15 x 17 cm
- 30 gsm (Flat Pack) 26 x 18.5 cm
- Dotted pattern to allow for best cleaning
 - maximum soil pick up
 - maximum liquid deposited
- Lint free – produced in a pharmaceutical cleanroom
- Durable and strong wipe
- Ability to cover a large area (> 1m²)
- Excellent separation
- Hydrophillic



Infection Prevention and Control made easy with Henry Schein.

Thank you for supporting
Australian Made

