

The dental Attachments company

CODE LIST

for Dentist and Dental Laboratory



24th Edition

www.rhein83.com





CASTABLE



Ref. 092ECO

OT EQUATOR CASTABLE SET

SET CONTAINS:

- 2 SINGLE MALES
- 2 STAINLESS STEEL HOUSINGS
- 4 RETENTIVE CAPS (2 SOFT, 2 STANDARD)

IMPLANTS



Ref. 130

OT EQUATOR FOR IMPLANTS SET

SET CONTAINS:

- 1 OT EQUATOR TITANIUM + TIN ABUTMENT
- 1 STAINLESS STEEL HOUSING
- 1 PROTECTIVE DISK
- 4 RETENTIVE CAPS
 (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)



Ref. 131

OT EQUATOR AND SMARTBOX FOR IMPLANTS SET

SET CONTAINS:

- 1 OT EQUATOR TITANIUM + TIN ABUTMENT
- 1 ANODIZED SMART BOX HOUSING WITH BLACK POSITIONING CAP
- 1 PINK PROTECTIVE DISK
- 4 RETENTIVE CAPS
 (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)



Ref. 030

1 OT EQUATOR TITANIUM + TIN ABUTMENT

THE OT EQUATOR ATTACHMENTS ARE AVAILABLE FOR THE MAJOR IMPLANT BRANDS. UPON REQUEST WE CAN CUSTOMIZE THEM FOR ANY KIND OF IMPLANTS. WHEN ORDERING INDICATE: IMPLANT, DIAMETER AND CUFF HEIGHT. CUFF AVAILABLE TO 7mm.

BARS



Ref. 160EQB

OT EQUATOR THREADED SLEEVE SYSTEM SET FOR BONDING

SET CONTAINS:

- 2 EQUATOR THREADED for titanium sleeve (1.6 mm THREAD)
- 2 THREADED SLEEVES (1.6 mm THREAD)
- 2 STAINLESS STEEL HOUSINGS
- 2 EQUATOR SPACERS
- 8 RETENTIVE CAPS (2 EXTRA-SOFT, 2 SOFT, 2 STANDARD, 2 PROCESSING)

ELASTIC SEEGER PASSIVE BAR CONNECTIONS SYSTEM **—**



Ref. 158ESA

ELASTIC SEEGER SET

SET CONTAINS:

- 1 CASTABLE CYLINDER FOR SEEGER
- 1 SELF-EXTRACTING SEEGER
- 1 TITANIUM SCREW FOR SELF-EXTRACTING SEEGER

CAPS ASSORTMENT SET



Ref. 192ECE

CAPS ASSORTMENT SET



- 1 STAINLESS STEEL HOUSING
- 1 PROCESSING CAP
- 1 PROTECTIVE DISK
- 4 RETENTIVE CAPS (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)

SMART BOX SET



Ref. 335SBC

SMART BOX SET

SET CONTAINS:

- 1 SMART BOX HOUSING WITH BLACK POSITIONING CAP
- 1 PINK PROTECTIVE DISK
- 4 RETENTIVE CAPS (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)

SPARE PARTS

Ref. 144AVC4

SPARE PARTS	s ———			
-	Ref. 151SS	• 2	CASTABLE MALES	
	Ref. 140CEV	• 4	RETENTIVE CAPS - VIOLET "STRONG" 2700g	
	Ref. 140CET	• 4	RETENTIVE CAPS - CLEAR "STANDARD" 1800g	
	Ref. 140CER	• 4	RETENTIVE CAPS - PINK "SOFT" 1200g	
	Ref. 140CEG	• 4	RETENTIVE CAPS - YELLOW "EXTRA-SOFT" 600g	
	Ref. 140CEN	• 4	PROCESSING CAPS - BLACK (FOR LABORATORY USE ONLY)	
	Ref. 140CEDR8	• 4	RETENTIVE CAPS - AQUA CAPS UNDERSIZED INTERNAL DIAMETER 2,2mm (STRONG 1300g)	
	Ref. 140CEADR8	• 4	RETENTIVE CAPS - ORANGE UNDERSIZED INTERNAL DIAMETER 2,2mm (VERY ELASTIC 350g)	
	Ref. 141CAE	• 2	STAINLESS STEEL HOUSINGS	
	Ref. 141CTE	• 2	TITANIUM HOUSINGS FUCHSIA ANODIZED	
	Ref. 330SBE	•1	SMART BOX HOUSING WITH BLACK POSITIONING CAP	
	Ref. 335CSB	• 4	BLACK SMARTBOX POSITIONING CAPS	
	Ref. 039SFE2	•1	OT EQUATOR THREADED 2mm (DIRECT INTO 2MM THREAD)	
	Ref. 339SFE	•1	OT EQUATOR THREADED 1.6mm (FOR TITANIUM SLEEVE)	
	Ref. 239GSF	• 1	TITANIUM SLEEVE (1.6mm THREAD)	
8	Ref. 339SSE	•1	OT EQUATOR SPACER	
**	Ref. 159VEA	•1	OT EQUATOR SEEGER (FOR SELF-EXTRACTING PEEK RING OR TITANIUM HEALING RING)	
	Ref. 158VAE	• 1	TITANIUM SCREW FOR SELF-EXTRACTING SEEGER	
e	Ref. 158SAE	• 1	SELF-EXTRACTING WHITE SEEGER (FOR BAR LOCKING)	
	Ref. 158CCE	•1	CASTABLE CYLINDER height 2,5mm (FOR SEEGER)	
	Ref. 158CCAE	•1	HIGH CASTABLE CYLINDER height 3,5mm (FOR SEEGER)	
ACCESSORIE:	s ———			
R	Ref. 144TTE	•1	OT EQUATOR TITANIUM TRANSFER + TITANIUM SCREW	
8	Ref. 144MTE	• 2	IMPRESSION COPINGS (FOR INDIVIDUAL TRAY)	
	Ref. 044CAIN	• 2	IMPRESSION COPINGS NORMAL SIZE - OT EQUATOR (WITH INTERCHANGEABLE CAP FOR PICK UP IMPRESSION)	
f	Ref. 144AE	• 2	LABORATORY ANALOGS	

LABORATORY ANALOG WITH TITANIUM SCREW FOR CAD/CAM Ø4mm
 LABORATORY ANALOG WITH TITANIUM SCREW FOR CAD/CAM Ø5mm

OT EQUATOR TOOLS

Ref. 774CHE

2	
	Ī
0	Γ

Ref. 74AC01	• 1	PARALLELOMETER KEY	"NORMAL SIZE

OT FOUATOR SOUARE SCREW DRIVER + HOLDER • 1

(SQUARE 1.25mm) (USABLE WITH RATCHET TORQUE CONTROL DEVICE)

OT EQUATOR INTERCHANGEABLE HOLDER **Ref. 774HC**

SQUARE DRIVER CONNECTOR FOR TORQUE **Ref. 760CE** CONTROLLER CONTRA ANGLE (SQUARE 1.25mm)

MULTIUSE CAPS INSERTER/EXTRACTOR TOOL **Ref. 485IC**

METAL INSERTION TOOL FOR SEEGER USE TOGETHER WITH 491EC • 1 **Ref. 185SIS**

MULTIUSE EXTRACTOR TOOL FOR CAPS • 1 **Ref. 491EC** (WITH HOLE STEM HOLDER)

RATCHET TORQUE CONTROL DEVICE (FOR OT EQUATOR, SPHERO BLOCK Ref. 760CRD-US • 1 AND FLEX 15/35NCM STRENGHT - MAX 50NCM TORQUE, SUGGESTED 25NCM)

OT UNILATERAL

EXTRA CORONAL ATTACHMENTS WITH COMBINED FUNCTION



Ref. 098UNL

OT UNILATERAL + CONNECTOR

SET CONTAINS:

- UNILATERAL CASTABLE ATTACHMENT UNI-BOX CASTABLE
- PLASTIC POSITIONER MICRO SIZE
- PINK CAP MICRO SIZE
- STRATEGY YELLOW CAP (for duplication technique)
 BLACK CAP MICRO SIZE (for laboratory use only)
- STRATEGY BLACK CAP (for laboratory use only)
 CONNECTOR



Ref. 156BCU

• 1 UNILATERAL CASTABLE ATTACHMENT



Ref. 156CCU

• 1 **UNI-BOX CASTABLE**

OT CAP TECNO



NORMAL

MICRO

Ref. 093CTN

OT CAP TECNO NORMAL/MICRO

SET CONTAINS:

- PRE-ANGULATED CASTABLE EXTENSIONS
- 2 TITANIUM SINGLE THREADED SPHERES
- TITANIUM BOND-IN THREADED SLEEVES • 2
- TRANSPARENT CAPS NORMAL/MICRO
 PINK CAPS NORMAL/MICRO
- YELLOW CAPS NORMAL/MICRO





Ref. 193BCA

Ref. 093CTM

• 2 PRE-ANGULATED CASTABLE EXTENSIONS

SINGLE THREADED SPHERES

WITH THREADED SLEEVE TO BE BONDED NORMAL - MICRO



Ref. 139KSFN

SET SINGLE THREADED SPHERE NORMAL SIZE + TIN

WITH SLEEVE TO BE BONDED

SET CONTAINS

- TITANIUM NORMAL SINGLE THREADED SPHERE (HEX mm. 1.3 THREAD mm. 1.6)
- TITANIUM BOND-IN THREADED SLEEVE
- S/STEEL SPACER for the THREADED SLEEVE (Normal sphere)



Ref. 139KSFM

SET SINGLE THREADED SPHERE MICRO SIZE + TIN

WITH SLEEVE TO BE BONDED

SET CONTAINS

- TITANIUM MICRO SINGLE THREADED SPHERE (HEX mm. 0.9 THREAD mm. 1.6)
- TITANIUM BOND-IN THREADED SLEEVE
- S/STEEL SPACER for the THREADED SLEEVE (Micro sphere)

SPARE PARTS



Ref. 239SFN

SINGLE THREADED SPHERE NORMAL SIZE + TIN • 1 FOR THREADED SLEEVE HEX mm. 1.3 THREAD mm. 1.6

Ref. 239SFM

SINGLE THREADED SPHERE MICRO SIZE + TIN FOR THREADED SLEEVE HEX mm. 0.9 THREAD mm. 1.6

Ref. 239GSF

TITANIUM BOND-IN THREADED SLEEVE FOR NORMAL AND MICRO - mm. 1.6



Ref. 239SSN

STAINLESS STEEL SPACER for THREADED SLEEVE

(Normal sphere)

Ref. 239SSM

STAINLESS STEEL SPACER for THREADED SLEEVE (Micro sphere)

SINGLE THREADED SPHERES

FOR CAD/CAM OR SELF TAPPING 2.0mm THREAD - NORMAL AND MICRO SIZE



Ref. 039SFN2

SINGLE THREADED SPHERE NORMAL SIZE + TIN

HEX 1.3mm, THREAD 2.0mm



Ref. 039SFM2

SINGLE THREADED SPHERE MICRO SIZE + TIN

HEX 0.9mm, THREAD 2.0mm



Ref. 760CBR

HEX DRIVER FOR THREADED SPHERE NORMAL

HEX 1.3mm



Ref. 772CSF

HEX DRIVER FOR THREADED SPHERE MICRO

OT CAP IMPRESSION COPINGS



Ref. 044CAIN

IMPRESSION COPINGS NORMAL SIZE

Ø2,5mm WITH INTERCHANGEABLE CAP



Ref. 044CAI22

IMPRESSION COPINGS

Ø2,25mm SPHERES WITH INTERCHANGEABLE CAP



Ref. 044CAIM

 2 IMPRESSION COPINGS MICRO SIZE Ø1,8mmWITH INTERCHANGEABLE CAP

ATTACHMENTS OT CAP & OT BOX - OT STRATEGY - OT BAR OT VERTICAL - OT TECNO - TITANIUM SINGLE SPHERE

MASTER STARTER SET FOR LABORATORY



Ref. 005SKLUS

SET CONTAINS:

- SET CONTAINS:
 OT CAP OT BOX SYSTEM:

 16 castable assorted pivots (normal and micro size)

 4 castable spheres (normal and micro size)

 2 titanium single spheres (normal and micro size)

 3 titanium single spheres (normal and micro size)

 4 castable OT CAP bars (normal and micro size)

 5 castable OT BOX CLASSIC bars (upper + lower part) normal and micro size)

 6 castable OT BOX SPECIAL bars (normal and micro size)

 6 castable OT BOX CAPSIC bars (normal and micro size)

- 16
- castable OT BOX SPECIAL bars (normal and micro size)
 castable OT BOX connectors
 castable OT BOX MONO housings (normal and micro size)
 plastic positioner rings (normal and micro size)
 OT CAP retentive caps (normal and micro size)
 Clear-standard retention PINK soft retention YELLOW extra soft retention GREEN very elastic retention

- TITAN CAP titanium caps (normal and micro size)
 BLACK CAPS- only for lab use (normal and micro size)
 S/STEEL housings
 ANALOGUES for plaster models (normal and micro size)
 protective disks
 aluminium spacers (normal and micro size)

- OT STRATEGY:

- RATECT:
 castable spheres (2 standard and 2 high)
 castable STEADY
 retentive caps: 2 clear 2 pink 2 yellow for housing
 black caps for housing only for lab use
 cited housing

- black caps for nousing only for lab use
 street housings
 plastic positioner rings
 retentive caps for duplication technique:
 clear standard retention PINK soft retention YELLOW extra soft retention
 black caps for duplication technique only for lab use
 ANALOGUES for plaster models

 OT BAR MULTIUSE:
 acceptable bay

- castable bar gengival connector positioner clip A positioner clip B

- 2 positioner clip B
 4 castable housings
 4 clips 2 PINK soft retention 2 YELLOW medium retention
 OT VERTICAL:
 2 castable male
 2 castable STEADY
 4 clips 2 WHITE- standard rention 2 GREEN soft retention
 2 castable parallelometer keys
 2 ceramic bars

TOOLS:

- OLS:
 Pincers
 Reamer tools for caps (normal and micro size)
 Reamer tools for OT STRATEGY caps
 Parallelometer keys for OT CAP (normal and micro size)
 Parallelometer key for OT STRATEGY size
 Parallelometer keys for OT CAP TECNO (normal and micro size)
 Parallelometer keys for OT CAP TECNO (normal and micro size)
 Parallelometer key for OT BAR MULTIUSE
 Blue Plastic "multiuse" insertion tool
 (for steel tool and for inserting the caps in the mouth)
 OT CAP insertion tool
 OT STRATEGY insertion tool
 OT BAR clips insertion tool
 OT VERTICAL clips insertion tool

ATTACHMENTS OT CAP & OT BOX - OT STRATEGY - OT BAR OT VERTICAL - OT UNILATERAL - OT EQUATOR

BASIC LABORATORY SET



Ref. 005SKLBUS

SET CONTAINS:

OT CAP - OT BOX SYSTEM:

- 16 castable assorted pivots (normal and micro size)
- 8
- castable spheres normal/micro
 castable OT CAP bars (normal and micro size)
 castable OT BOX CLASSIC bars (upper + lower part) normal and micro size
 castable OT BOX SPECIAL bars (normal and micro size)
- castable OT BOX connectors
- castable OT BOX MONO housings (normal and micro size)
- plastic positioner rings (normal and micro size)
 OT CAP assorted retentive caps (normal and micro size)
- PINK soft retention YELLOW extra soft retention

 13 BLACK CAPS- only for lab use (normal and micro size)

 4 S/STEEL housings (normal and micro size)

OT STRATEGY:

- castable spheres (2 standard and 2 high)
 - castable STEADY
- pink retentive caps
- s/steel housings
- Plastic positioner rings retentive caps for duplication technique: PINK soft retention YELLOW extra soft retention
- black caps for duplication technique only for lab use

OT EQUATOR:

- 2
- single males stainless steel housings retentive caps (2 soft, 2 standard)
- processing black caps

OT UNILATERAL:

- unilateral castable attachment
- uni-box castable
- plastic positioner micro size
- ot cap micro size: 1 pink 1 black processing cap
- 2 ot strategy (for duplication technique): 1 yellow - 1 black processing cap
- connector

OT BAR MULTIUSE:

- castable bar
- gengival connector
- positioner clip (A B)
- . 2
- castable housings clips 2 PINK soft retention 2 YELLOW medium retention

OT VERTICAL:

- castable male
- castable STEADY clips 2 WHITE- standard rention 2 GREEN soft retention
- castable parallelometer keys
- ceramic bars

TOOLS:

- Tweezers
- Parallelometer keys for OT CAP normal
- Parallelometer keys for OT CAP micro
- Parallelometer key for OT STRATEGY
- Parallelometer key for OT BAR MULTIUSE Blue Plastic "multiuse" insertion tool (for steel tool and for inserting the caps in the mouth) • 1
- OT CAP insertion tool
- OT STRATEGY insertion tool
- OT BAR clips insertion tool
- OT VERTICAL clips insertion tool

OT CAP SYSTEM ATTACHMENTS =



Ref. 038STF **NORMAL SIZE**

TITANIUM FLEX SINGLE SPHERE NORMAL SIZE + TIN FOR LASER SOLDERING - FOR BONDING

TITANIUM SINGLE SPHERE NORMAL SIZE + TIN

SET CONTAINS:

- 2 SINGLE TITANIUM FLEX SPHERES
- 2 PINK CAPS SOFT RETENTION
- 1 SPHERE HOLDER
- 2 CASTABLE SLIDING BASES



Ref. 038STN **NORMAL SIZE**

FOR LASER SOLDERING - FOR BONDING **SET CONTAINS:**

- 2 SINGLE TITANIUM SPHERES
- 2 PINK CAPS SOFT RETENTION • 1 SPHERE HOLDER
- 2 CASTABLE SLIDING BASES



Ref. 038STM **MICRO SIZE**

TITANIUM SINGLE SPHERE MICRO SIZE + TIN FOR LASER SOLDERING - FOR BONDING **SET CONTAINS:**

- 2 SINGLE TITANIUM SPHERES
- 2 PINK CAPS SOFT RETENTION
- 1 SPHERE HOLDER
- 2 CASTABLE SLIDING BASES



Ref. 092CAN

NORMAL SIZE OT CAP

SET CONTAINS • 4

• 4

- **CASTABLE SINGLE SPHERES** PINK RETENTIVE CAPS • 4
- STAINLESS STEEL HOUSINGS PLASTIC POSITIONERS



Ref. 092CAM

MICRO SIZE OT CAP

- SET CONTAINS
- **CASTABLE SINGLE SPHERES** • 4
- 4 PINK RETENTIVE CAPS
- 4 STAINLESS STEEL HOUSINGS
- PLASTIC POSITIONERS



Ref. 196BCN

"ECONOMIC" OT CAP NORMAL SIZE

- **SET CONTAINS**
- CASTABLE PRESECTIONED BAR
- 1 CASTABLE PRESECTIONED BEVELED BAR
- CLEAR RETENTIVE CAPS (Standard retention)



Ref 197BCM

"ECONOMIC" OT CAP MICRO SIZE

SET CONTAINS

- 1 CASTABLE PRESECTIONED BAR
- CASTABLE PRESECTIONED BEVELED BAR
- 4 CLEAR RETENTIVE CAPS (Standard retention)



Ref. 099BSN

OT CAP & Mono OT BOX FOR FRAME NORMAL SIZE

SET CONTAINS

- CASTABLE PRESECTIONED BARS (1 straight + 1 beveled) • 2
- **CLEAR RETENTIVE CAPS** • 4
- CASTABLE MONO OT BOX • 4
- PLASTIC POSITIONERS



Ref. 099BSM

OT CAP & Mono OT BOX FOR FRAME MICRO SIZE

SET CONTAINS

- 2 CASTABLE PRESECTIONED BARS (1 straight + 1 beveled)
- **CLEAR RETENTIVE CAPS** • 4
- 4 **CASTABLE MONO OT BOX**
- PLASTIC POSITIONERS



Ref. 058BSN

OT BOX SPECIAL NORMAL SIZE + CONNECTORS

SET CONTAINS

- OT BOX SPECIAL BARS • 2
- PLASTIC POSITIONERS • 4
- CONNECTORS • 4



Ref. 058BSM

OT BOX SPECIAL MICRO SIZE + CONNECTORS

SET CONTAINS

- OT BOX SPECIAL BARS • 2
- PLASTIC POSITIONERS • 4
- CONNECTORS



Ref. 153BCN

OT BOX CLASSIC NORMAL SIZE + CONNECTORS SET CONTAINS:

- **UPPER BARS** • 2
- **LOWER BARS** • 2
- PLASTIC POSITIONERS • 4
- **CONNECTORS**



Ref. 153BCM

OT BOX CLASSIC MICRO SIZE + CONNECTORS

- **SET CONTAINS:**
- **UPPER BARS**
- **LOWER BARS** • 2
- PLASTIC POSITIONERS
- **CONNECTORS**

OVERSIZED CASTABLE HOUSING FOR CHAIRSIDE POSITIONING OF CAPS



Ref. 253BLN

OT BOX LARGE NORMAL & CONNECTORS

SET CONTAINS

- 2 OT BOX LARGE BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS



Ref. 253BLM

OT BOX LARGE MICRO & CONNECTORS

SET CONTAINS:

- 2 OT BOX LARGE BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS

OT STRATEGY ATTACHMENTS



Ref. 098SSS

OT STRATEGY

CAPS FOR DUPLICATION TECHNIQUE

SET CONTAINS

- 4 CASTABLE STRATEGY MALES (2 STANDARD 2 HIGH)
- 2 CASTABLE STEADY
- 4 RETENTIVE CAPS FOR DUPLICATION TECHNIQUE



Ref. 098CAL

OT STRATEGY

CAPS FOR STAINLESS STEEL HOUSING TECHNIQUE

SET CONTAINS

- 4 CASTABLE STRATEGY MALES (2 STANDARD 2 HIGH)
- 2 CASTABLE STEADY
- 4 STAINLESS STEEL HOUSINGS
- 2 PLASTIC POSITIONERS
- 4 RETENTIVE CAPS FOR HOUSING TECHNIQUE

OT BAR MULTIUSE ATTACHMENTS =



Ref. 0210BM

OT BAR MULTIUSE & CONNECTORS

SET CONTAINS

- 2 CASTABLE BARS
- 4 POSITIONER CLIP A
- 4 POSITIONER CLIP B
- 4 CASTABLE BOXES
- 4 RETENTIVE PINK CLIPS
- 4 RETENTIVE YELLOW CLIPS
- 4 RETENTIVE RED CLIPS
- 2 CONNECTORS
- 1 GINGIVAL CONNECTOR

OT VERTICAL ATTACHMENTS



Ref. 0710BV

OT VERTICAL

SET CONTAINS

- 4 CASTABLE MALES
- 2 CASTABLE STEADY
- 4 RETENTIVE WHITE CLIPS
- 2 RETENTIVE GREEN CLIPS
- 4 CASTABLE PARALLELOMETER KEYS + PIN

OVERDENTURE ATTACHMENTS —



S.P.L. PIVOTS - COPING COVER PROMOTIONAL SET FOR CLINIC

- 24 40
- CASTABLE ASSORTED PIVOTS MICRO SIZE CASTABLE ASSORTED PIVOTS NORMAL SIZE
- TITANIUM MICRO PIVOTS
 TITANIUM NORMAL PIVOTS
- 16 16 NORMAL CAPS (Clear - standard retention - PINK soft retention) MICRO CAPS (Clear - standard retention - PINK soft retention)
- 20
- PROTECTIVE DISKS
 REGULATING TOOLS (1 normal and 1 micro size)
- BLUE PLASTIC "MULTIUSE" INSERTION TOOL
 (FOR THE INSERTION OF THE CAPS INSIDE THE METAL HOUSINGS)

- OT CAP insertion tool NORMAL STAINLESS STEEL HOUSING MICRO STAINLESS STEEL HOUSING DIRECTIONAL RINGS (grey 0° green 7° red 14°)
- TWEEZER



Lenghts available:

Ref. 333PEK7

Ref. 333PEK9

Ref. 333PEK10

OT EQUATOR TITANIUM TIN COATED PIVOTS SET

Low profile head pivots

SET CONTAINS

- TITANIUM OT EQUATOR PIVOTS h7,9 or 10mm (of the same length chosen) OT EQUATOR ANODIZED TITANIUM HOUSINGS • 2 • 2
- YELLOW EXTRA SOFT CAPS PINK SOFT CAPS

- CLEAR STANDARD CAPS
 TRANSPARENT PROTECTIVE DISKS

Lenghts available: 10 - 9 - 7mm



Ref. 336PTE7

Ref. 336PTE9

Ref. 336PTE10

OT EQUATOR TITANIUM TIN COATED PIVOTS

Low profile head pivots

SET CONTAINS

TITANIUM OT EQUATOR PIVOT h7,9 or 10mm (of the length chosen)



Ref. 033PSF7R

Ref. 033PSF9R


Ref. 033PSF10R

PIVOT FLEX TIN COATED

TITANIUM PIVOT WITH SWIVEL SPHERE - Normal size Adapted for COPING COVER

SET CONTAINS

- TITANIUM PIVOT WITH SWIVEL SPHERE
- STAINLESS STEEL HOUSING PINK CAPS Normal Size Soft retention PROTECTIVE DISK
- DIRECTIONAL RINGS





Ref. 036PTN7

Ref. 036PTN9

Ref. 036PTN10

TITANIUM PIVOTS SET NORMAL SIZE

Adapted for COPING COVER

SET CONTAINS

TITANIUM PIVOTS (Adapted for COPING COVER)



Ref. 036PTM9

Ref. 036PTM10

TITANIUM PIVOTS SET MICRO SIZE

Adapted for COPING COVER

SET CONTAINS

TITANIUM PIVOTS (Adapted for COPING COVER)



Ref. 034PRK

OVERDENTURE POSTS

FOR ROOTS, AVAILABLE IN ONE STANDARD SIZE

SET CONTAINS

- Root posts in Titanium + TiN Retentive male attachment Titanium + nylon Plastic manual tools
- 2
- Stainless steel housings Pink protective disks



Lenghts available:

Ref. 010PSP

CASTABLE PIVOTS

FOR CANAL IMPRESSIONS

SET CONTAINS

20 CASTABLE PIVOTS NORMAL SIZE

Lenghts available: 10 - 9 - 7mm



Ref. 012PSM

CASTABLE PIVOTS

FOR CANAL IMPRESSIONS

SET CONTAINS

CASTABLE PIVOTS MICRO SIZE



Ref. A01MOG

MOOSER BUR FOR PIVOTS OF 7 - 9 - 10mm.

Ref. A03MOB

MOOSER BUR

FOR PIVOTS OF 12 - 14mm.

Ref. 121FD

OT REVERSE 3 DIAMOND SHAPED BUR FOR ROOTS

IMPLANTOLOGY TITANIUM ATTACHMENTS FOR OVERDENTURE

SPHERO FLEX - BLOCK SYSTEM



SPHERO FLEX TIN COATED

SET CONTAINS

Ref. 109

- 1 TITANIUM ABUTMENT WITH SWIVEL SPHERE (SPHERE Ø 2.5 mm.)
- 3 CAPS (Yellow Pink Clear)
- 1 STAINLESS STEEL HOUSING
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS

SPHERO BLOCK NORMO TIN COATED

SET CONTAINS

Ref. 002

- 1 TITANIUM ABUTMENT (SPHERE Ø mm. 2.5)
- 3 CAPS (Yellow Pink Clear)
- 1 STAINLESS STEEL HOUSING
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS



SPHERO BLOCK MICRO TIN COATED

SET CONTAINS:

Ref. 003

- 1 TITANIUM ABUTMENT (SPHERE Ø mm. 1.8)
- 3 CAPS (Yellow Pink Clear)
- 1 STAINLESS STEEL HOUSING
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS

THE SPHERO FLEX, SPHERO BLOCK ATTACHMENTS ARE AVAILABLE FOR THE MAJOR IMPLANT BRANDS.UPON REQUEST WE CAN CUSTOMIZE THEM FOR ANY KIND OF IMPLANTS. WHEN ORDERING, PLEASE ALWAYS INDICATE: IMPLANT BRAND, IMPLANT DIAMETER AND CUFF HEIGHT. FOR SPHERO FLEX ABUTMENT CUFF AVAILABLE FROM 0.5 TO 7mm.



AUXILIARY TOOLS SPHERO FLEX - BLOCK =



Ref. 771CEF

KEY FOR SPHERO FLEX AND SPHERO BLOCK (Normal - Micro size)

HEX mm. 2.3

Ref. 760CBM

HEX SCREWDRIVER FOR TORQUE CONTROLLER CONTRA ANGLE

Ref. 760CRD-US

RATCHET TORQUE CONTROL DEVICE

For Sphero block - flex and Ot Equator 15/35Ncm Strenght - Max 50Ncm torque, suggested 25Ncm.

ANTI-UNSCREWING SYSTEM WITH AN ELASTIC DOWEL APPLICABLE TO

SPHERO FLEX-BLOCK - OT REVERSE AND DIFFERENT SCREWS. THE ELASTIC DOWEL IS APPLICABLE ONLY UPON REQUEST TO ALL SCREWS WITH A NOT INFERIOR M. 1.8 to screws - Sphero Flex - Sphero Block - OT Reverse attachments, etc.

Extra charge for the dowel application





AUXILIARY TOOLS SPHERO FLEX - BLOCK —



Ref. 100AD

DIRECTIONAL RINGS FOR SPHERO FLEX AND BLOCK SET CONTAINS

•3 COLOURED RINGS WITH INCLINATION OF 0° - 7° - 14°



Ref. 044ABN

SPHERO FLEX - BLOCK NORMO ANALOG SET SET CONTAINS

- •1 SPHERO BLOCK-FLEX NORMO ANALOG
- •3 DIRECTIONAL RINGS (0° 7° 14°)
- •1 BLACK NORMO CAP FOR LABORATORY USE

Ref. 044ABM

SPHERO BLOCK MICRO ANALOG SET

SET CONTAINS:

- •1 SPHERO BLOCK-MICRO ANALOG
- •3 DIRECTIONAL RINGS (0° 7° 14°)
- 1 BLACK MICRO CAP FOR LABORATORY USE

CUFF HEIGHT MEASURER

THIS TOOL IS USED TO DETERMINE THE CUFF HEIGHT OF IMPLANTS WITH INTERNAL OR EXTERNAL HEXAGON




Ref. 008MBG

CUFF HEIGHT MEASURER

SET CONTAINS:

- 1 CUFF HEIGHT SLIDER GAUGE
- •1 CUFF HEIGHT FIXED ROD GAUGE
- •1 SILICON RING DISPENSER
- •20 SILICON RINGS



OT LOCK =

LOCKING PIN TITANIUM AND CASTABLE



Ref. 880CLT

OT LOCK SET TITANIUM

SET CONTAINS

- •1 LOCKING PIN SET
- •1 HOUSING SHAPER
- 1 CERAMIC PIN



Ref. 880CLR

OT LOCK SET TITANIUM ADJUSTABLE

SET CONTAINS

- 1 LOCKING PIN SET
- 1 HOUSING SHAPER
- 1 CERAMIC PIN
- 9 CASTABLE SPACER RINGS

OT LOCK ACCESSORIES



Ref. 882CG

1 CONICAL GUIDE



Ref. 882CAS

1 UNLOCKING TOOL


SPARE PARTS OT CAP SYSTEM NORMAL Ø2.5mm

SPARE PART	S OT CAP SYST	EM	NORMAL Ø2.5mm	
	Ref. 055SCN	• 4	CASTABLE SINGLE SPHERES NORMAL SIZE	
No.	Ref. 151BAN	• 2	CASTABLE PRESECTIONED BEVELED BARS NORMAL SIZE	
The state of the s	Ref. 150BPN	• 2	CASTABLE PRESECTIONED BARS NORMAL SIZE	
	Ref. 192ACN	SET	PS ASSORTMENT SET OT CAP NORMAL SIZE CONTAINS	
		• 1 • 1 • 1	STAINLESS STEEL HOUSING PROCESSING CAP PROTECTIVE DISK RETENTIVE CAPS (1 GREEN, 1 YELLOW, 1 PINK, 1 CLEAR)	
	Ref. 048CAN	• 6	SILVER CAPS NORMAL SIZE (EXTRA-RESILIENT) (ELASTIC AND GUMMY) - 350 g	
	Ref. 048CON	• 6	GOLD CAPS NORMAL SIZE (EXTRA-RESILIENT) (SLIGHTLY ELASTIC) - 500g	
	Ref. 049PCN	•6	GREEN CAPS NORMAL SIZE (VERY ELASTIC RETENTION) - 350g	
	Ref. 060CRN AY	•6	YELLOW CAPS NORMAL SIZE (EXTRA SOFT RETENTION) - 500g	
	Ref. 040CRN SN	• 6	PINK CAPS NORMAL SIZE (SOFT RETENTION) - 900g	
	Ref. 040CRN	• 6	CLEAR CAPS NORMAL SIZE (STANDARD RETENTION) - 1300g	
	Ref. 040TCN	• 2	TITAN CAPS NORMAL SIZE	
	Ref. 043CLN	• 6	BLACK CAPS NORMAL SIZE (FOR LABORATORY USE ONLY)	
	Ref. 049PCNDR8	• 6	ORANGE CAPS NORMAL SIZE (VERY ELASTIC RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE) - 350 gr	
	Ref.060CRNAYDR8	• 6	YELLOW CAPS NORMAL SIZE (EXTRA SOFT RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE) - 500 gr	
	Ref.040CRNSNDR8	• 6	PINK CAPS NORMAL SIZE (SOFT RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE) - 900 gr	
	Ref. 040CRNDR8	• 6	AQUA CAPS NORMAL SIZE (STRONG RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE) - 1300 gr	
Ò	Ref. 042AMN	• 2	MONO OT BOX NORMAL SIZE (CASTABLE HOUSINGS FOR CAPS)	
	Ref. 041CAN	• 2	STAINLESS STEEL HOUSINGS NORMAL SIZE	
	Ref. 041CTN	• 2	TITANIUM HOUSINGS NORMAL SIZE	
	Ref. 101PPN	• 2	PLASTIC POSITIONERS NORMAL SIZE	
Î	Ref. 044PPN	• 2	NORMAL SPHERE ANALOGS	
100	Ref. 100SAN	• 10	ALUMINIUM SPACERS FOR OT BOX BARS NORMAL SIZE	12

S

SPARE PARTS	OT CAP SYSTE	M	AICRO Ø1.8mm	ı
_	Ref. 055SCM	• 4	CASTABLE SPHERES MICRO SIZE	
No.	Ref. 151BAM	• 2	CASTABLE PRESECTIONED BEVELED BARS MICRO SIZE	
and the same of th	Ref. 150BPM	• 2	CASTABLE PRESECTIONED BARS MICRO SIZE	
	Ref. 192ACM		PS ASSORTMENT SET OT CAP MICRO SIZE CONTAINS STAINLESS STEEL HOUSING PROCESSING CAP PROTECTIVE DISK RETENTIVE CAPS (1 GREEN, 1 YELLOW, 1 PINK, 1 CLEAR)	
	Ref. 048CAM	• 6	SILVER CAPS MICRO SIZE (EXTRA-RESILIENT) (ELASTIC AND GUMMY) - 200g	
	Ref. 048COM	• 6	GOLD CAPS MICRO SIZE (EXTRA-RESILIENT) (SLIGHTLY ELASTIC) - 450g	
	Ref. 049PCM	• 6	GREEN CAPS MICRO SIZE (VERY ELASTIC RETENTION) - 200g	
	Ref. 060CRM AY	• 6	YELLOW CAPS MICRO SIZE (EXTRA SOFT RETENTION) - 450g	
	Ref. 040CRM SN	• 6	PINK CAPS MICRO SIZE (SOFT RETENTION) - 800g	
	Ref. 040CRM	• 6	CLEAR CAPS MICRO SIZE (STANDARD RETENTION) - 1100g	
	Ref. 040TCM	• 2	TITAN CAPS MICRO SIZE	
	Ref. 043CLM	• 6	BLACK CAPS MICRO SIZE (FOR LABORATORY USE ONLY)	
	Ref. 040CRMDR8	• 6	AQUA CAPS MICRO SIZE (STRONG RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø1,6 mm) - 1100g	
	Ref. 049PCMDR8	• 6	ORANGE CAPS MICRO SIZE (VERY ELASTIC RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 1,6 mm) - 200g	
6	Ref. 042AMM	• 2	MONO OT BOX MICRO SIZE (CASTABLE HOUSINGS FOR CAPS)	
	Ref. 041CAM	• 2	STAINLESS STEEL HOUSINGS MICRO SIZE	
	Ref. 041CTM	• 2	TITANIUM HOUSINGS MICRO SIZE	
	Ref. 101PPM	• 2	PLASTIC POSITIONERS MICRO SIZE	
	Ref. 044PPM	• 2	MICRO SPHERE ANALOGS	
	Ref. 100SAM	• 10	ALUMINIUM SPACERS FOR OT BOX BARS MICRO SIZE	

NORMAL-MICRO TOOLS



NORMAL-MICRO TOOLS continue —

\leftarrow	Ref. 080RCN	REAMER TOOL FOR OT CAPS - NORMAL SIZE
	Ref. 080RCM	REAMER TOOL FOR OT CAPS - MICRO SIZE
	Ref. 082ATN	TOOL FOR TESTING CAP RETENTION - NORMAL SIZE
	Ref. 083ATM	TOOL FOR TESTING CAP RETENTION - MICRO SIZE

NORMAL - MICRO ACCESSORIES AND Ø2.2mm

1000v	Ref. 155CC	• 6 CONNECTORS
	Ref. 187CRS	• 2 CONCAVE SPHERES AVAILABLE: Ø1.8 - 2.2 - 2.5mm
	Ref. 187CRE	• 2 CONCAVE OT EQUATOR
	Ref. 189SRS	• 2 SOLID SPHERES AVAILABLE: Ø1.8mm
	Ref. 100PD	• 10 PROTECTIVE DISKS (internal diameter 1,6mm)
	Ref. 100PDR	• 10 PINK PROTECTIVE DISKS (internal diameter 2,9mm)
	Ref. 038GCS	• 2 CASTABLE SLIDING BASES
Î	Ref. 044PP22	• 2 MICRO ANALOGS Ø2.2mm

OT CAP ASSORTMENT SET



SET NORMAL

Ref. 074KAN

SET MICRO

Ref. 074KAM

SET CONTAINS

- CLEAR CAPS STANDARD RETENTION PINK CAPS SOFT RETENTION • 8
- 8
- YELLOW CAPS EXTRA SOFT RETENTION • 6 **GREEN CAPS - VERY ELASTIC RETENTION** • 6
- GOLD CAPS (EXTRA RESILIENT) SLIGHTLY ELASTIC
- 6
- SILVER CAPS (EXTRA RESILIENT) ELASTIC AND GUMMY LIGHT GREEN CAPS STANDARD (FOR WORN OUT SPHERE) ORANGE CAPS ELASTIC (FOR WORN OUT SPHERE) • 4
- 4
- 4 **BLACK CAPS - LABORATORY USE ONLY**



Ref. 074KNM

ASSORTMENT SET NORMAL & MICRO **SET CONTAINS**

- 4+4 CLEAR CAPS STANDARD RETENTION
- 4+4 PINK CAPS SOFT RETENTION
- 2+2 YELLOW CAPS EXTRA SOFT RETENTION 3+3 GREEN CAPS VERY ELASTIC RETENTION
- 3+3 GOLD CAPS (EXTRA RESILIENT) SLIGHTLY ELASTIC

 3+3 SILVER CAPS (EXTRA RESILIENT) ELASTIC AND GUMMY
- 2+2 LIGHT GREEN CAPS STANDARD (FOR WORN OUT SPHERE)
- 2+2 ORANGE CAPS ELASTIC (FOR WORN OUT SPHERE)
- 2+2 BLACK CAPS LABORATORY USE ONLY
- 1+1 TITAN CAPS



Ref. 064ACN **NORMAL SIZE**

OT CAP ASSORTED RETENTIVE CAPS **NORMAL SET**

- **GREEN CAPS VERY ELASTIC RETENTION** • 6
- 6 YELLOW CAPS - EXTRA SOFT RETENTION
- PINK CAPS SOFT RETENTION • 6
- **CLEAR CAPS STANDARD RETENTION** • 6



Ref. 064ACM **MICRO SIZE**


OT CAP ASSORTED RETENTIVE CAPS MICRO SET

- 6 GREEN CAPS VERY ELASTIC RETENTION
- YELLOW CAPS EXTRA SOFT RETENTION
- PINK CAPS SOFT RETENTION • 6
- 6 **CLEAR CAPS - STANDARD RETENTION**


OT STRATEGY SPARE PARTS =

OI SIMAILO	JI AIL I AIL			
	Ref. 154PCS	• 4	OT STRATEGY STANDARD MALES	
	Ref. 054PLS	• 4	OT STRATEGY HIGH MALES	
W	Ref. 154STY	• 2	CASTABLE STEADY	
	Ref. 047CSD AY	• 4	STRATEGY YELLOW CAPS FOR DUPLICATION TECHNIQUE (EXTRA SOFT RETENTION) - 500gr	
	Ref. 047CSD SN	• 4	STRATEGY PINK CAPS FOR DUPLICATION TECHNIQUE (SOFT RETENTION) - 900gr	
	Ref. 047CSD	• 4	STRATEGY CLEAR CAPS FOR DUPLICATION TECHNIQUE (STANDARD RETENTION) - 1300gr	
	Ref. 047CLS	• 4	STRATEGY BLACK CAPS FOR DUPLICATION TECHNIQUE (FOR LABORATORY USE ONLY)	
	Ref. 047CSDDR8	• 4	AQUA STRATEGY CAPS FOR DUPLICATION TECHNIQUE (UNDERSIZED INTERNAL DIAMETER FOR WORN SPHERE OR 1.7mm SPHERE)	
(1)	Ref. 045CSM AY	• 4	STRATEGY YELLOW CAPS FOR S/STEEL HOUSING (EXTRA SOFT RETENTION) - 500gr (TO BE USED ONLY WITH HOUSINGS)	
1	Ref. 045CSM SN	• 4	STRATEGY PINK CAPS FOR S/STEEL HOUSING (SOFT RETENTION) - 900gr (TO BE USED ONLY WITH HOUSINGS)	
	Ref. 045CSM	• 4	STRATEGY CLEAR CAPS FOR S/STEEL HOUSING (STANDARD RETENTION) - 1300gr (TO BE USED ONLY WITH HOUSINGS)	
	Ref. 045CLS	• 4	STRATEGY BLACK CAPS FOR S/STEEL HOUSING (FOR LABORATORY USE ONLY)	
	Ref. 045CSMDR8	•4	AQUA STRATEGY CAPS FOR S/STEEL HOUSING (UNDERSIZED INTERNAL DIAMETER FOR WORN SPHERE OR 1.7mm SPHERE)	
	Ref. 046CSM	• 2	STRATEGY STAINLESS STEEL HOUSINGS	
	Ref. 101OTS	• 2	STRATEGY PLASTIC POSITIONERS (FOR SOLDERING STAINLESS STEEL HOUSINGS)	
88	OT STRATEGY AS	SOR	TMENT CAP SET FOR DUPLICATION TECHNIQUE	
			CONTAINS YELLOW CAPS - EXTRA SOFT RETENTION	
A LE	Ref. 047ACS	• 4	PINK CAPS - SOFT RETENTION CLEAR CAPS - STANDARD RETENTION	
P S	OT STRATEGY AS		RTMENT CAP SET FOR S/STEEL HOUSINGS	
№ #	Ref. 045ACS		YELLOW CAPS - EXTRA SOFT RETENTION PINK CAPS - SOFT RETENTION CLEAR CAPS - STANDARD RETENTION	
Ì	Ref. 044PPS	• 2	STRATEGY ANALOGS	
	Ref. 486ICS	•	INSERTER/EXTRACTOR TOOL FOR STRATEGY CAPS	
-	Ref. 75AC04	•	PARALLELOMETER KEY FOR STRATEGY CAPS	
- 1)))	Ref. 081RCS	•	REAMER TOOL FOR STRATEGY CAPS	


OT BAR MULTIUSE SPARE PARTS



OT VERTICAL SPARE PARTS



OT REVERSE 3 SPARE PARTS





OT LOCK SPARE PARTS •

77
613
/

Ref. 882CS

SLIDING KEY

(ONLY FOR TITANIUM - CASTABLE LOCKING PIN)

Ref. 882AF

1 FLEXIBLE RING

Ref. 882CB

1 LOCKING KEY

Ref. 882CPT

TITANIUM PREFABRICATED HOUSING (ONLY FOR TITANIUM - TITANIUM ADJUSTABLE LOCKING PIN)

Ref. 882PPC

1 CERAMIC PIN

Ref. 882CLSCT

ADJUSTABLE SLIDING KEY (ONLY FOR TITANIUM ADJUSTABLE LOCKING PIN)

Ref. 882DCC

 9 CASTABLE SPACER RINGS (ONLY FOR TITANIUM ADJUSTABLE LOCKING PIN)

CONCAVE REPAIR SPHERE

SPHERE REPAIR SETS



AVAILABLE Ø

Ref. 087CRS

1.8 - 2.2 - 2.5

SET CONTAINS

• 2 **CONCAVE SPHERES IN TITANIUM - TIN COATED**

PINK CAPS SOFT RETENTION • 2

• 1 INSERTING TOOL

GAUGE AND STRIP HOLDER • 1



Ref. 087CRE

CONCAVE REPAIR OT EQUATOR

SET CONTAINS

- CONCAVE OT EQUATOR IN TITANIUM TIN COATED • 2
- 2 PINK CAPS SOFT RETENTION
- 1 **INSERTING TOOL**
- 1 **GAUGE AND STRIP HOLDER**



Ref. 089SRS

SOLID REPAIR SPHERE

SET CONTAINS

- 2 SOLID SPHERES 1.8mm IN TITANIUM - TIN COATED
- PINK CAPS SOFT RETENTION • 2
- PROTECTIVE DISKS • 2
- KFY



Ref. 0P6

SET CONTAINS

• 6 ASSORTED BOXES
COLOURS: BLUE - LIGHT BLUE - WHITE



Ref. 100AS

• 30 SILICONE RINGS

SMALL PARALLELOMETER



Ref. 00PB

• 1 SMALL PARALLELOMETER DEVICE WITH MODEL HOLDER BASE (FOR COURSES, ETC.)

OT CEM



Ref. OC

SET CONTAINS

- 1 TWO-COMPONENT SYRINGE 5ml
- •10 AUTOMIX TIPS



Ref. TOC

SET CONTAINS

• 10 AUTOMIX TIPS

BROKEN SCREW EXTRACTOR SET

BROKEN SCREW EXTRACTOR SETS ARE MANUFACTURED FOR MOST IMPLANT BRANDS



Ref. 680

SET CONTAINS

- •1 CLAW REAMER BUR
 - 1 REVERSE CUTTING BUR
- •1 MANUAL EXTRACTOR
- •1 CENTERING DEVICE

Ref. 680FS

- •1 REVERSE CUTTING BUR
- Ref. 680FA*
- •1 CLAW REAMER BUR

*Specify type of implant and diameter



DIRECT SERVICES

A telephone service is available during office hours, it furnishes direct answers for technical questions. You can address to Rhein83 for knowing the address of foreign distributors

Tel. +39 051 244510 - +39 051 244396 - Fax +39 051 245238

Rhein83 website www.rhein83.com

General informations nick@rhein83.it

Sales department international.orders@rhein83.it

Technical support direzione.tecnica@rhein83.it

Marketing department direzione@rhein83.it







