

Ainsworth Dental Company
7/87 Fitzroy Street Marrickville NSW 2204
PO BOX 5055 Marrickville NSW 2204
Tel: 1300 60 22 40 (+61 2 9519 7223)
Fax: 1300 60 22 50 (+61 2 9519 7101)



Safety Data Sheet
according to
the Preparation of SDS for Hazardous Chemicals
Code of Practice February 2016 – Safe Work Australia

SECTION 1: Identification of the substance / mixture and of the company / undertaking

1.1 Product Identifier:

Trade name: Occlu Spray Plus 75ml

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance/the preparation: Coating material, occlusion surface marker spray

1.3 Details of the supplier for the safety data sheet

Ainsworth Dental Company
7/87 Fitzroy Street Marrickville NSW 2204
PO BOX 5055 Marrickville NSW 2204
Tel: 1300 60 22 40 (+61 2 9519 7223)
Fax: 1300 60 22 50 (+61 2 9519 7101)

1.4 Emergency Telephone: Poisons Information Centre (National) 13 11 26

SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture:

Classification according to Regulation (EC) No 1272/2008



GHS02 Flame

Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated

2.1 continued

GHS07 Warning

H336 May cause drowsiness or dizziness.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



F+; Extremely flammable

R12: Extremely flammable

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Information concerning particular hazards for humand environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations fo the EU" in the latest valid version.

Warning! Pressurized container.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

2.2 Label Elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms GHS02, GHS07

Signal word Danger

Hazard-determining components of labelling:

Pentane

Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

P211 Do not spray on an open flame or other ignition source.

P261 Avoid breathing dust fume gas mist vapours/spray.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

2.2 continued

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents container in accordance with local/regional/national/international regulations.

2.3 Other hazards**Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients**3.2 Chemical characterization: Mixtures**

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 106-97-8 butane 25-50%

EINECS: 203-448-7  F+ R12

Index number: 601-004-00-0  Flam. Gas 1, H220; Press. Gas, H280

CAS: 74-98-6 propane 25-50%

EINECS: 200-827-9  F+ R12

Index number: 601-003-00-5  Flam. Gas 1, H220; Press. Gas, H280

CAS: 109-66-0 pentane 2.5-10%

EINECS: 203—9  Xn R65;  F+R12  N R51 53

Index number: 601-006-00-1 /r66-67

 Flam. Liq. 1, H224;  Asp. Tox. 1, H304;  Aquatic

Chronic 2. H411:  STOT SE 3, H336

CAS: 75-28-5 isobutane ≤ 2.5%

EINECS: 200-857-2  F+ R12

Index number: 601-004-00-0  Flam. Gas 1, H220; Press. Gas, H280

Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing agents: CO₂, sand, extinguishing powder. Do not use water.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers surface or ground water.

6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Open and handle receptacle with care.

Information about fire – and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away – Do not smoke.

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep container tightly sealed.

Do not seal receptacle gas tight.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure and controls/personal protection

Additional information about design of technical facilities: No further data: see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

109-66-0 pentane

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection: Not required.

Protection of hands: Not required.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

8.2 continued**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable: Butyl rubber, BR

Eye protection:

Tightly sealed goggles

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties**General Information****Appearance:**

Form: Aerosol

Colour: Green

Odour: Recognizable

Odour threshold: Not determined

pH-value: Not determined

Change in condition

Melting point/Melting range: Undetermined

Boiling point/Boiling range: -44°C

Flash point: ~ - 80°C (closed cup)

Flammability (solid, gaseous): Not applicable

Ignition temperature: 365°C

Decomposition temperature: Not determined

Self igniting: Product is not selfigniting.

Danger of explotion: Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

Explosion limits:

Lower: 1, 5 Vol %

Upper: 10,9 Vol %

Vapour pressure at 20°C: ~ 5500 hPa

Density at 20°C: 0,84 g cm³

Relative density Not determined

Vapour density Not determined

Evaporation rate Not applicable

Solubility in / Miscibility with

Water: Not miscible or difficult to mix

9.1 continued

Partition coefficient (n-octanol/water):	Not determined
Viscosity:	
Dynamic:	Not determined
Kinematic:	Not determined
Solvent content:	
Organic solvents:	97,58 %
VOC (EC)	97,58 %
Solids content;	2,39 %
9.2 Other information	No further relevant information available

SECTION 10: Stability and reactivity**10.1 Reactivity****10.2 Chemical stability**

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions: No dangerous reactions known.

10.4 Conditions to avoid: No further relevant information available.

10.5 Incompatible materials: No further relevant information available

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicology information**11.1 Information on toxicological effects**

Acute toxicity:

Primary irritant effect:

On the skin: No irritant effect

On the eye: No irritating effect.

Sensitization: No sensitizing effects known

SECTION 12: Ecological information**12.1 Toxicity**

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability: No further relevant information available.

12.3 Bioaccumulative potential: No further relevant information available.

12.4 Mobility in soil: No further relevant information available.

Ecotoxicological effects:

Remark: Harmful to fish

Additional ecological information:

12.4 continued**General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

12.5 Results of PBT and vPvB assessment

PBT: Not applicable

vPvB: Not applicable

12.6 Other adverse effects: No further relevant information available.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

08 02 01 waste coating powders

15 01 04 metallic packaging

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations

SECTION 14: Transport information**ADG(Australian Road and Rail)**

UN Number: UN 1950

Proper Shipping Name: AEROSOLS

Hazard Class: 2

Packing Group: NONE ALLOCATED

Environmental Hazards: Marine Pollutant - No

Hazchem Code: 5F Gases

IATA

UN Number: UN 1950

Proper shipping name: AEROSOLS, FLAMMABLE

Hazard Class: 2.1

Subsidiary Class: NONE ALLOCATED

Packing group: NONE ALLOCATED

ERG Code: 2L

Description: AEROSOLS, FLAMMABLE, 2.1

IMDG/ IMO

Proper Shipping Name: AEROSOLS
Hazard Class: 2.1
UN Number: UN 1950
Packing Group: NONE ALLOCATED
EmS: F-D, S-U
Description: AEROSOLS, 2.1

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H220 Extremely flammable gas.
H224 Extremely flammable liquid and vapour.
H280 Contains gas under pressure: may explode if heated.
H304 May be fatal if swallowed and enters airways.
H336 May cause drowsiness or dizziness.

16 continued

H441 Toxic to aquatic life with long lasting effects.
R12 Extremely flammable
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65 Harmful: may cause lung damage if swallowed.
R66 Repeated exposure may cause skin dryness or cracking.
R67 Vapours may cause drowsiness and dizziness.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

Flam. Gas 1: Flammable gases, Hazard Category 1

Flam. Aerosol 1: Flammable aerosols, Hazard Category 1

Press. Gas: Gases under pressure: Compressed gas

Flam. Liq. 1: Flammable liquids, Hazard Category 1

STOT SE 3: Specific target organ toxicity – Single exposure, Hazard Category 3

Asp. Tox. 1: Aspiration hazard. Hazard Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment – Chronic Hazard, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment – Chronic Hazard, Category 3

The data and information given in this Safety Data Sheet are accurate on the date of preparation. It does not indicate any warranty or representation. We disclaim all liability relating to use of this material since this is beyond our control.